

## DEARBORN, MICHIGAN — Kenwal Pickling

Kenwal's pickling line is housed in a 100,000 sq. ft. facility with rail access. This facility is adjacent to our Dearborn Service Center.



Pickler Entry Staging and Uncoiler




Pickler Entry Operator Station



Tension Leveler



HCl Acid Bath



Rinse and Drying System



Quality Inspection Table



Parsytec Top and Bottom Surface Inspection



Gamma Gauge Control



Electrostatic Oiler



Pickler Exit Operator Station



Recoiler



Offline Coil Banding Station

## DEARBORN, MICHIGAN — Pickling Line

### Specifications:

- Processes: HCl Pickling
- Steel Thickness: 0.030" – 0.375"
- Coil Weight: 70,000 lbs. max
- Coil O.D.: 72" max

### Products:

- Hot Roll Black

### Grades:

- Mild Carbon through Ultra High Strength Steel (UHSS) up to 205 KSI Tensile

### Cranes:

- 6 Overhead
- 38 Ton Capacity

### Pickling Line Features:

- Size of Facility: 100,000 sq. ft.
- Capacity: 900,000 tons/year
- Full Tension Leveler
- Coil Prep Station
- Scale Breaker
- Anti-Coil Break Roll
- Parsytec Coil Mapping
- Electrostatic Oil Coating
- Gamma Gauge Control
- Parsytec Top and Bottom Inspection
- Overhead Cranes / Fork Lifts
- Traffic Modes: Rail and Truck
- Receive and Ship by Appointment
- EDI Capable
- Labeling: Barcode / SAE and Metric



### Dearborn, Michigan

8223 W. Warren  
Dearborn, MI 48126  
Phone: (313) 739-1000  
Fax: (313) 739-1001



STEEL RIGHT, WHEN YOU NEED IT.



Kenwal.com | sales@kenwal.com